



RESIDENTIAL PRODUCT CATALOG





RESIDENTIAL PRODUCT CATALOG



Our Mission

Our Mission is to provide “Value for Products” and establish trustworthy long term relations with the Clients and Suppliers. As well as deliver superior quality product and offer technical service to our customers in both Residential & Industrial Sections of Water Treatment fields.

Our Vision

Our vision is to always develop and produce reliable, high quality products at an affordable price.



INDEX

pallusa

R.O. WATER PURIFIER SYSTEMS

Aquatai	6
Water Mark	7
High Tech	8
Euro Tech	9
Kangaroo	10
Waves Cyber	11
Water Tech	12
Safir-Prizma / Housing Series	13
EcoPlus	15
Eq Series	18
Pressure Gauge & Control Panel Series	19
Direct Flow Series	20
Dispensers	22
Water Softener Systems	24
Industrial Systems	25

R.O. FILTERS

2,5" Inline Filters	28
2,5" Push Fittings Inline Filters	29
2" Inline Filters	30
2,5" Single-Use Filters	32
Omnipure Inline Filters	33
Housing Filters	34
RO Membranes & Membrane Housings	36
Filter Housings	38

R.O. SPARE PARTS & ACCESSORIES

Pump And Spare Parts	42
Ro Faucets	44
Ro Faucet Spare Parts Ve Accessories	46
Pressure Gauges	46
Tanks And Spare Parts	48
Brackets	50
Ro Valves And Connection Kits	51
Flow Limits	52
Shutoffs And Pressure Switches	53
Pressure Limiter	54
Ro Tubes	55
Ro Water Leakage Kits	55
Measuring Devices & Services Kit	56
Uv Disinfection Systems	57
Solenoid Valves	57
Quick Elbows	58
Quick T Ve Y	59
Quick Rakors Ve Check Valves	60
Quick Connectors	61
Jaco Fittings	62
Clamps Ve Teflon Tape	63





R.O. Water Purifier Systems



Color Options



STANDARD 5 Staged - Without Pump

3-05-AG-HF

1. Stage	2,5" Inline 5.mic PP / HF Push Fittings Filter
2. Stage	2,5" Inline Carbon / HF Push Fittings Filter
3. Stage	2,5" Inline Carbon / HF Push Fittings Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 8 lt. (2.2 G) 
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 45x9,5x36 cm Carton Dimension (W x L x H) 47x15x39 cm
Optional	HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$)



Color Options



STANDARD 4 Staged - With Pump

3-05-AG-HF P

1. Stage	2,5" Inline 5.mic PP / HF Push Fittings Filter
2. Stage	2,5" Inline Carbon / HF Push Fittings Filter
3. Stage	75 GPD EV Membrane
4. Stage	Inline Post Carbon Filter / HF Push Fittings Filter
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 8 lt. (2.2 G) 
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 45x9,5x36 cm Carton Dimension (W x L x H) 47x15x39 cm
Optional	HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$)

STANDARD 5 Staged - Without Pump

3-05-AS-HF

1. Stage 2,5" Inline 5.mic PP / HF Push Fittings Filter

2. Stage 2,5" Inline Carbon / HF Push Fittings Filter

3. Stage 2,5" Inline Carbon / HF Push Fittings Filter

4. Stage 75 GPD EV Membrane

5. Stage Inline Post Carbon Filter

Faucet HFT Lux / Conical Faucet

Tank TankPAC - PAE 8 lt. (2.2 G) 

Specifications Quick Connection, 3/8" Connection

Colored Mat Box, With Shut-off Valve

Dimension Product Dimension (W x L x H) 35,5x9,5x45 cm

Carton Dimension (W x L x H) 37x15,5x50 cm

Optional HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$)

With Glass Options Difference: 13 \$



Color Options

STANDARD 4 Staged - With Pump

3-05-AS-HF P

1. Stage 2,5" Inline 5.mic PP / HF Push Fittings Filter

2. Stage 2,5" Inline Carbon / HF Push Fittings Filter

3. Stage 75 GPD EV Membrane

4. Stage Inline Post Carbon Filter / HF Push Fittings Filter

Faucet HFT Lux / Conical Faucet

Pump High Efficient, Quiet

Tank TankPAC - PAE 8 lt. (2.2 G) 

Specifications Quick Connection, 3/8" Connection

Colored Mat Box, With Shut-off Valve

Dimension Product Dimension (W x L x H) 35,5x9,5x45 cm

Carton Dimension (W x L x H) 37x15,5x50 cm

Optional HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$)

With Glass Options Difference: 13 \$



Color Options



Mat Color Options



Transparent Color Options

**STANDARD Series - Without Pump****3-05-STR-INC**

1. Stage	2,5" Inline 5.mic PP / HF Push Fittings Filter
2. Stage	2,5" Inline Carbon / HF Push Fittings Filter
3. Stage	2,5" Inline Carbon / HF Push Fittings Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 2,2 G. 
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 27,5x41,5x38,5 cm Carton Dimension (W x L x H) 28,5x48x40 cm
Optional	Transparent Box Difference: 8 \$ HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$) PP Box Difference (- 10 \$)
6. Stage	Alkaline - Mineral Filter Difference: 5 \$

STANDARD Series - With Pump**3-05-STR-INC P**

Mat Color Options



Transparent Color Options



1. Stage	2,5" Inline 5.mic PP / HF Push Fittings Filter
2. Stage	2,5" Inline Carbon / HF Push Fittings Filter
3. Stage	2,5" Inline Carbon / HF Push Fittings Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 2,2 G. 
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 27,5x41,5x38,5 cm Carton Dimension (W x L x H) 28,5x48x40 cm
Optional	Transparent Box Difference: 8 \$ HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$) PP Box Difference (- 10 \$)

STANDARD Series - Without Pump

3-05-ELG-INC

1. Stage 2,5" Inline 5.mic PP / HF Push Fittings Filter

2. Stage 2,5" Inline Carbon / HF Push Fittings Filter

3. Stage 2,5" Inline Carbon / HF Push Fittings Filter

4. Stage 75 GPD EV Membrane

5. Stage Inline Post Carbon Filter

Faucet HFT Lux / Conical Faucet

Tank TankPAC - PAE 2,2 G. 

Specifications Quick Connection, 3/8" Connection

Colored Mat Box, With Shut-off Valve

Dimension Product Dimension (W x L x H) 28x48x435,5 cm

Carton Dimension (W x L x H) 29,5x46x48 cm

Optional HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$)

Transparent Box Difference: 8 \$

6. Stage Alkaline - Mineral Filter Difference: 5 \$



Mat Color Options



Transparent Color Options

STANDARD Series - With Pump

3-05-ELG-INC P

1. Stage 2,5" Inline 5.mic PP / HF Push Fittings Filter

2. Stage 2,5" Inline Carbon / HF Push Fittings Filter

3. Stage 2,5" Inline Carbon / HF Push Fittings Filter

4. Stage 75 GPD EV Membrane

5. Stage Inline Post Carbon Filter

Faucet HFT Lux / Conical Faucet

Pump High Efficient, Quiet

Tank TankPAC - PAE 2,2 G. 

Specifications Quick Connection, 3/8" Connection

Colored Mat Box, With Shut-off Valve

Dimension Product Dimension (W x L x H) 28x48x435,5 cm

Carton Dimension (W x L x H) 29,5x46x48 cm

Optional HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$)

Transparent Box Difference: 8 \$

6. Stage Alkaline - Mineral Filter Difference: 5 \$



Mat Color Options



Transparent Color Options



Mat Color Options



Transparent Color Options

**STANDARD Series - Without Pump****3-05-SFR-INC**

1. Stage	2,5" Inline 5.mic PP / HF Push Fittings Filter
2. Stage	2,5" Inline Carbon / HF Push Fittings Filter
3. Stage	2,5" Inline Carbon / HF Push Fittings Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 3,2 G.
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 29x46x38 cm Carton Dimension (W x L x H) 30,5x49,5x45 cm
Optional	Transparent Box Difference: 8 \$ HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$) PP Box Difference (- 10 \$)
6. Stage	Alkaline - Mineral Filter Difference: 5 \$

STANDARD Series - With Pump**3-05-SFR-INC P**

1. Stage	2,5" Inline 5.mic PP / HF Push Fittings Filter
2. Stage	2,5" Inline Carbon / HF Push Fittings Filter
3. Stage	2,5" Inline Carbon / HF Push Fittings Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 3,2 G.
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 29x46x38 cm Carton Dimension (W x L x H) 30,5x49,5x45 cm
Optional	Transparent Box Difference: 8 \$ HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$) PP Box Difference (- 10 \$)
6. Stage	Alkaline - Mineral Filter Difference: 5 \$



Mat Color Options



Transparent Color Options



STANDARD Series - Without Pump

3-05-PRZ-INC

1. Stage	2,5" Inline 5.mic PP / HF Push Fittings Filter
2. Stage	2,5" Inline Carbon / HF Push Fittings Filter
3. Stage	2,5" Inline Carbon / HF Push Fittings Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 3,2 G. 
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 29x46x38 cm Carton Dimension (W x L x H) 30,5x49,5x45 cm

Optional	Transparent Box Difference: 8 \$ HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$)
6. Stage	Alkaline - Mineral Filter Difference: 5 \$



Mat Color Options



Transparent Color Options

STANDARD Series - With Pump

3-05-PRZ-INC P

1. Stage	2,5" Inline 5.mic PP / HF Push Fittings Filter
2. Stage	2,5" Inline Carbon / HF Push Fittings Filter
3. Stage	2,5" Inline Carbon / HF Push Fittings Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 3,2 G. 
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 29x46x38 cm Carton Dimension (W x L x H) 30,5x49,5x45 cm

Optional	Transparent Box Difference: 8 \$ HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$)
6. Stage	Alkaline - Mineral Filter Difference: 5 \$



Mat Color Options



Transparent Color Options



Mat Color Options



Transparent Color Options



STANDARD Series - Without Pump

3-05-MAX-INC

- 1. Stage** 2,5" Inline 5.mic PP / HF Push Fittings Filter
- 2. Stage** 2,5" Inline Carbon / HF Push Fittings Filter
- 3. Stage** 2,5" Inline Carbon / HF Push Fittings Filter
- 4. Stage** 75 GPD EV Membrane
- 5. Stage** Inline Post Carbon Filter
- Faucet** HFT Lux / Conical Faucet
- Tank** TankPAC - PAE 3,2 G. 
- Specifications** Quick Connection, 3/8" Connection
Colored Mat Box, With Shut-off Valve
- Dimension** Product Dimension (W x L x H) 29x45x38,5 cm
Carton Dimension (W x L x H) 32,5x53,5x43 cm
- Optional** Transparent Box Difference: 8 \$
HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$)
- 6. Stage** Alkaline - Mineral Filter Difference: 5 \$

STANDARD Series - With Pump

3-05-MAX-INC P



Mat Color Options



Transparent Color Options



- 1. Stage** 2,5" Inline 5.mic PP / HF Push Fittings Filter
- 2. Stage** 2,5" Inline Carbon / HF Push Fittings Filter
- 3. Stage** 2,5" Inline Carbon / HF Push Fittings Filter
- 4. Stage** 75 GPD EV Membrane
- 5. Stage** Inline Post Carbon Filter
- Faucet** HFT Lux / Conical Faucet
- Pump** High Efficient, Quiet
- Tank** TankPAC - PAE 3,2 G. 
- Specifications** Quick Connection, 3/8" Connection
Colored Mat Box, With Shut-off Valve
- Dimension** Product Dimension (W x L x H) 29x45x38,5 cm
Carton Dimension (W x L x H) 32,5x53,5x43 cm
- Optional** Transparent Box Difference: 8 \$
HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$)
- 6. Stage** Alkaline - Mineral Filter Difference: 5 \$

Housing Models

Safir - Without Pump

3-06-SFR-HO

Prizma - Without Pump

3-06-PRZ-HO

1. Stage	10" 5.mic PP Filter
2. Stage	10" UDF Carbon Filter
3. Stage	10" CTO Carbon Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 2,2 G. 
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 29x46x38 cm Carton Dimension (W x L x H) 30,5x49,5x45 cm
Optional	Transparent Box Difference: 8 \$ Local Housing Difference (- 10 \$) HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$)
6. Stage	Alkaline - Mineral Filter Difference: 5 \$



Housing Models

Safir - With Pump

3-06-SFR-HO P

Prizma - With Pump

3-06-PRZ-HO P

1. Stage	10" 5.mic PP Filter
2. Stage	10" UDF Carbon Filter
3. Stage	10" CTO Carbon Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 2,2 G. 
Specifications	Quick Connection, 3/8" Connection Colored Mat Box , With Shut-off Valve
Dimension	Product Dimension (W x L x H) 29x46x38 cm Carton Dimension (W x L x H) 30,5x49,5x45 cm
Optional	Transparent Box Difference: 8 \$ Local Housing Difference (- 10 \$) HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$)
6. Stage	Alkaline - Mineral Filter Difference: 5 \$





STANDARD Series - Without Pump

3-04-ECO-1

1. Stage	10" 5.mic PP Filter
2. Stage	10" UDF Carbon Filter
3. Stage	10" CTO Carbon Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Filter Housing	Standard
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 3,2 G. 
Specifications	Quick Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 14,5x35x40 cm Carton Dimension (W x L x H) 34x41x57,5 cm
Optional	HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$) Plastic Tank 12 lt. Difference (- 20 \$) 6. Stage Mineral Filter Difference 5 \$ 7. Stage Alkaline Extra Filter Difference 13 \$ 8. Stage Bio Ceramic Filter Difference 21 \$



STANDARD Series - With Pump

3-04-ECO-1P

1. Stage	10" 5.mic PP Filter
2. Stage	10" UDF Carbon Filter
3. Stage	10" CTO Carbon Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Filter Housing	Standard
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 3,2 G. 
Specifications	Quick Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 19x36,5x45 cm Carton Dimension (W x L x H) 34x41x57,5 cm
Optional	HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$) Plastic Tank 12 lt. Difference (- 20 \$) 6. Stage Mineral Filter Difference 5 \$ 7. Stage Alkaline Extra Filter Difference 13 \$ 8. Stage Bio Ceramic Filter Difference 21 \$

PREMIUM Series - Without Pump

3-04-ECO

1. Stage	10" 5.mic PP Filter
2. Stage	10" UDF Carbon Filter
3. Stage	10" CTO Carbon Filter
4. Stage	75 GPD EV Membrane
5. Stage	Premium Inline Post Carbon
Filter Housing	Premium
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 3,2 G. 
Specifications	Jaco Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 14,5x35x40 cm Carton Dimension (W x L x H) 34x41x57,5 cm
Optional	HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$) Local Housing Difference (- 10 \$) 6. Stage Mineral Filter Difference 5 \$ 7. Stage Alkaline Extra Filter Difference 13 \$ 8. Stage Bio Ceramic Filter Difference 21 \$



PREMIUM Series - With Pump

3-04-ECO P

1. Stage	10" 5.mic PP Filter
2. Stage	10" UDF Carbon Filter
3. Stage	10" CTO Carbon Filter
4. Stage	75 GPD EV Membrane
5. Stage	Premium Inline Post Carbon
Filter Housing	Premium
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 3,2 G. 
Specifications	Jaco Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 19x36,5x45 cm Carton Dimension (W x L x H) 34x41x57,5 cm
Optional	HFT 12 lt. Metal Tank (3.2 G) Difference (- 7 \$) Local Housing Difference (- 10 \$) 6. Stage Mineral Filter Difference 5 \$ 7. Stage Alkaline Extra Filter Difference 13 \$ 8. Stage Bio Ceramic Filter Difference 21 \$





PRO Series - Without Pump

3-04-ECO 5PRO

1. Stage	10" 5.mic PP Filter
2. Stage	10" UDF Carbon Filter
3. Stage	10" CTO Carbon Filter
4. Stage	75 GPD EV Membrane
5. Stage	Premium Inline Post Carbon
Filter Housing	Premium
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 3,2 G. 
Specifications	Jaco Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 14,5x35x40 cm Carton Dimension (W x L x H) 34x41x57,5 cm
Optional	HFT 12 Lt. Metal Tank (3.2 G) Difference (- 7 \$) Local Housing Difference (- 10 \$) 6. Stage Mineral Filter Difference 5 \$ 7. Stage Alkaline Extra Filter Difference 13 \$ 8. Stage Bio Ceramic Filter Difference 21 \$



PRO Series - With Pump

3-04-ECO 5PRO-P

1. Stage	10" 5.mic PP Filter
2. Stage	10" UDF Carbon Filter
3. Stage	10" CTO Carbon Filter
4. Stage	75 GPD EV Membrane
5. Stage	Premium Inline Post Carbon
Filter Housing	Premium
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 3,2 G. 
Specifications	Jaco Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 19x36,5x45 cm Carton Dimension (W x L x H) 34x41x57,5 cm
Optional	HFT 12 Lt. Metal Tank (3.2 G) Difference (- 7 \$) Local Housing Difference (- 10 \$) 6. Stage Mineral Filter Difference 5 \$ 7. Stage Alkaline Extra Filter Difference 13 \$ 8. Stage Bio Ceramic Filter Difference 21 \$

PRACTICAL FT Series - Without Pump

3-04-ECO FT

1. Stage	2,5" 5.mic PP FT Filter
2. Stage	2,5" UDF Carbon FT Filter
3. Stage	2,5" CTO Carbon FT Filter
4. Stage	Inline Post Carbon
5. Stage	75 GPD HFT / EV
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 2,2 G. NSF
Specifications	Quick Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 14x35x36 cm Carton Dimension (W x L x H) 30x49x41 cm

Optional	HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$) 6. Stage Mineral Filter Difference: 5 \$ 7. Stage Alkaline Extra Filter Difference 13 \$
-----------------	--



PRACTICAL FT Series - With Pump

3-04-ECO FT-P

1. Stage	2,5" 5.mic PP FT Filter
2. Stage	2,5" UDF Carbon FT Filter
3. Stage	2,5" CTO Carbon FT Filter
4. Stage	Inline Post Carbon
5. Stage	75 GPD HFT / EV
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 2,2 G. NSF
Specifications	Quick Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 14x35x36 cm Carton Dimension (W x L x H) 30x49x41 cm

Optional	HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$) 6. Stage Mineral Filter Difference: 5 \$ 7. Stage Alkaline Extra Filter Difference 13 \$
-----------------	--



EQ SERIES



STANDARD Series - Without Pump

3-04-ECO EQ-5

1. Stage	2,5" 5.mic PP HF Push Fittings Filter
2. Stage	2,5" UDF Carbon HF Push Fittings Filter
3. Stage	2,5" CTO Carbon HF Push Fittings Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Tank	TankPAC - PAE 2,2 G. 
Specifications	Quick Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 28x17x36 cm Carton Dimension (W x L x H) 33x22x38,5 cm
Optional	HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$)
6.Stage	Alkaline - Mineral Filter Difference: 5 \$

EQ SERIES



STANDARD Series - With Pump

3-04-ECO EQ-5P

1. Stage	2,5" 5.mic PP HF Push Fittings Filter
2. Stage	2,5" UDF Carbon HF Push Fittings Filter
3. Stage	2,5" CTO Carbon HF Push Fittings Filter
4. Stage	75 GPD EV Membrane
5. Stage	Inline Post Carbon Filter
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Tank	TankPAC - PAE 2,2 G. 
Specifications	Quick Connection, 3/8" Connection
Dimension	Product Dimension (W x L x H) 28x23x36 cm Carton Dimension (W x L x H) 33x22x38,5 cm
Optional	HFT 8 lt. Metal Tank (2.2 G) Difference (- 6 \$)
6.Stage	Alkaline - Mineral Filter Difference: 5 \$

RO Series With Control Panel

Control Panel Difference

Suitable Models	ECOPLUS Direct Flow Systems
Specifications	TDS Measurement Water Leak Alarm Working Status Indicators Filter Change Time Alarm Auto Flash Washing System

* It is produced on order. Check the stock status.



Pressure Gauge Series

Pressure Gauge Difference

Suitable Models	PRİZMA SAFİR STRATOS STİLMAX ELEGANCE AQUASLİM ECOPLUS
------------------------	--

Specifications	Panel type rear connection Measurement between 0-10 bar Used to measure the inlet water pressure.
-----------------------	---

* It is produced on order. Check the stock status.



HF SERIES



HF 12300-12500-12600 Series

3-07-HF 12300	HFT	
3-07-HF 12300	VONTRON	
3-07-HF 12500	VONTRON	
3-07-HF 12600	VONTRON	

1. Stage	10" 5.mic PP
2. Stage	10" UDF Carbon
3. Stage	10" CTO Carbon
4. Stage	30"x12" 300-500-600 GPD 1 Piece Membrane
5. Stage	Inline Post Carbon
Filter Housing	Premium
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Specifications	Quick Connection, 3/8" Connection, Shut-off Valve or Solenoid Valve, 10 Bar Pressure Gauge
Dimension	Product Dimension (W x L x H) 25,5x35x45 cm Carton Dimension (W x L x H) 27x37x47 cm
Optional	Local Housing Difference (- 10 \$)



AQUABEST TT 12300-12500-12600 Series

3-07-TT 12300	HFT	
3-07-TT 12300	VONTRON	
3-07-TT 12500	VONTRON	
3-07-TT 12600	VONTRON	

1. Stage	10" 5.mic PP
2. Stage	10" UDF Carbon
3. Stage	10" CTO Carbon
4. Stage	30"x12" 300-500-600 GPD 1 Piece Membrane
5. Stage	2,5" Inline Post Carbon
Faucet	HFT Lux / Conical Faucet
Pump	High Efficient, Quiet
Specifications	Quick Connection, 3/8" Connection, Shut-off Valve or Solenoid Valve, 10 Bar Pressure Gauge
Dimension	Product Dimension (W x L x H) 26x44x43 cm Carton Dimension (W x L x H) 28x45x52,5 cm
Optional	Local Housing Difference (- 10 \$)

HF 300 - 400 - 500 Series

3-07-HF 300

3-07-HF 400

3-07-HF 500

- 1. Stage** 20" 5.mic PP
- 2. Stage** 20" UDF Carbon
- 3. Stage** 20" CTO Carbon
- 4. Stage** 100 GPD x 3-4-5 Pieces HFT Membrane
- 5. Stage** Premium Inline Post Carbon
- Filter Housing** Premium NSF
- Faucet** HFT Lux / Conical Faucet
- Pump** High Efficient, Quiet
- Specifications** Quick Connection, 3/8" Connection, Shut-off Valve or Solenoid Valve, 10 Bar Pressure Gauge
- Dimension** Product Dimension (W x L x H) 28x46x86 cm
Carton Dimension (W x L x H) 30x48x88 cm

* Vontron Membrane Difference 2 \$ * Per Pieces



HF SERIES

HF 600 - 800 - 1000 Series

3-07-HF 600

3-07-HF 800

3-07-HF 1000

- 1. Stage** 20" 5.mic PP
- 2. Stage** 20" UDF Carbon
- 3. Stage** 20" CTO Carbon
- 4. Stage** 200 GPD x 3-4-5 Pieces CSM Membrane NSF
- 5. Stage** Premium Inline Post Carbon
- Filter Housing** Premium NSF
- Faucet** HFT Lux / Conical Faucet
- Pump** High Efficient, Quiet
- Specifications** Quick Connection, 3/8" Connection, Shut-off Valve or Solenoid Valve, 10 Bar Pressure Gauge
- Dimension** Product Dimension (W x L x H) 28x46x86 cm
Carton Dimension (W x L x H) 30x48x88 cm



HF SERIES

AQUA



Water Dispenser

3-08-AT-01

5 STAGES HOT - COLD WATER / DIGITAL

Voltage	220V/50HZ
Heating Power(W)	300-400 W
Cooling Power(W)	0,7 A
Hot Water Capacity	1,25 LT
Cold Water Capacity	3,6 LT
1. Stage	Inline PP Filter
2. Stage	Inline UDF Filter
3. Stage	75 GPD Membrane
4. Stage	Post Carbon Filter
Product Dimension	26 x 47 x 51 cm

AQUA



Water Dispenser - Without Filters

3-08-GP-900

Water Dispenser - Without Pump

3-08-AT-02

Water Dispenser - With Pump

3-08-AT-02 P

5 STAGES HOT - COLD WATER / DIGITAL

Voltage	220V/50HZ
Heating Power(W)	430-500 W
Cooling Power(W)	0,7 A
Hot Water Capacity	2,15 LT
Cold Water Capacity	3,6 LT
1. Stage	Inline PP Filter
2. Stage	Inline UDF Filter
3. Stage	Inline CTO Filter
4. Stage	75 GPD Membrane
5. Stage	Post Carbon Filter
Product Dimension	26 x 36 x 110 cm

SS Water Dispenser - 75 GPD

3-08-HFS 702

Capacity	150 Lt. / Day
1. Stage	PP Filter
2. Stage	UDF Filter
3. Stage	CTO Filter
4. Stage	75 GPD Membrane
5. Stage	Post Carbon Filter
Specifications	Automatic Shut Off Valve
	Pump 300 GPD
	SS Case
	24V Adaptor
	48 Lt Cold Water Capacity
Product Dimension	483 x 436 x 1352 mm
Weight	30 Kg



SS Water Dispenser - 300 GPD

3-08-HFS 702-2

Capacity	1000 Lt. / Day
1. Stage	PP Filter
2. Stage	UDF Filter
3. Stage	CTO Filter
4. Stage	300 GPD Membrane
5. Stage	Post Carbon Filter
Specifications	Automatic Shut Off Valve
	Pump 300 GPD
	SS Case
	24V Adaptor
	48 Lt Cold Water Capacity
Product Dimension	483 x 436 x 1352 mm
Weight	30 Kg



Dispenser Kit

3-097-004



Dispenser Kit

3-097-004-Y

WATER SOFTENER SYSTEMS

WATER SOFTENER SYSTEMS



CODE	MODEL	PRICE
0-KAB-TC10-S1	S1 Mini Cabinet	
0-KAB-TC30-S1	S1 Maxi Cabinet	

MODEL	RESIN	CONNECTION	CAPACITY	mx. FLOW
S1 Mini Cabinet	8	1"	48 (m³x°F)	1,5 m³/h
S1 Maxi Cabinet	30	1"	150 (m³x°F)	1,5 m³/h

CODE	MODEL	PRICE
2-KAB-SIMIN	S1 Mini Cabinet (Empty)	
2-KAB-SIMAX	S1 Maxi Cabinet (Empty)	



CODE	MODEL	PRICE
0-KAB-TC08-S4	8 Lt. Softener With Cabinet	
0-KAB-TC08-S3	8 Lt. Softener With Cabinet	
0-KAB-TC20-S4	20 Lt. Softener With Cabinet	
0-KAB-TC25-S3	25 Lt. Softener With Cabinet	
0-KAB-TC30-S3	30 Lt. Softener With Cabinet	

MODEL	RESIN	CONNECTION	CAPACITY	mx. FLOW
0-KAB-TC08-S4	8	1"	48 (m³x°F)	1,5 m³/h
0-KAB-TC08-S3	8	1"	48 (m³x°F)	1,5 m³/h
0-KAB-TC20-S4	20	1"	120 (m³x°F)	1,5 m³/h
0-KAB-TC25-S3	25	1"	150 (m³x°F)	1,5 m³/h
0-KAB-TC30-S3	30	1"	180 (m³x°F)	1,5 m³/h

BETA SERIES

CODE	MODEL	FLOW (lt/h)	CAPACITY	PRICE
0-BTRO-80	BETA RO 80	80	25x40 1 Ad.	
0-BTRO-160	BETA RO 160	160	40x21 1 Ad.	
0-BTRO-250	BETA RO 250	250	40x40 1 Ad.	
0-BTRO-500	BETA RO 500	500	40x40 2 Ad.	

TECHNICAL SPECIFICATIONS

Stainless steel frame	Pressure setting valve	Autoflash
Vontron membrane	Low pressure prostate	1 micron front filter
HFI membrane housing cover	Clean water flowmeters	Control panel
High pressure pump	Waste water flowmeters	System control lights
Entry selenoid valve	Manometers	PPRC and PVC piping



OMEGA SERIES

CODE	MODEL	FLOW (lt/h)	CAPACITY	PRICE
0-OMRO-80	OMEGA RO 80	80	25x40 1 Ad.	
0-OMRO-160	OMEGA RO 160	160	40x21 1 Ad.	
0-OMRO-250	OMEGA RO 250	250	40x40 1 Ad.	
0-OMRO-500	OMEGA RO 500	500	40x40 2 Ad.	

TECHNICAL SPECIFICATIONS

Stainless steel frame	Low pressure prostate	5 micron front filter
Toray membrane and equivalent	System control lights	Control panel
Codeline membrane housing and equivalent	Conductivity meter	Antiscalant dosage system
Grandfos YSK pressure pump and equivalent	Clean-waste water flowmeter	High pressure line
Entry selenoid valve	Manometers	Low pressure line (PPRC and PVC)
Pressure setting valve	Autoflash	







R.O. Filters

2,5" INLINE FILTERS

2,5" INLINE FILTERS



2,5" JACO STANDARD INLINE FILTERS

CODE	DESCRIPTION	PRICE
6-25-5605S	PP Filter	
6-25-5633G	UDF Carbon Filter	
6-25-5633CTO	CTO Carbon Filter	
6-25-5633GC	UDF Carbon Filter (Coconut)	
6-25-5633-T33	Post Carbon Filter (Coconut)	
6-25-5633UF	UF Filter (Antibacterial 0,02 mic.)	
6-25-5633-ALK	Alkaline Extra Plus Filter	



2,5" JACO MEMBRANE PROTECTIVE FILTERS

CODE	DESCRIPTION	PRICE
6-25-AT-5607	Membrane Protective Filter (%100 Siliphos)	
6-25-AT-5606	Twin Soft Filter (%75 PP Filter + %25 Siliphos)	
6-25-AT-5608	Twin Soft Filter (%50 PP Filter + %50 Siliphos)	



2,5" JACO STANDARD INLINE FILTERS

CODE	DESCRIPTION	PRICE
6-25-STN-P	PP Filter	
6-25-STN-UDF	UDF Carbon Filter	
6-25-STN-CTO	CTO Carbon Filter	



2,5" QUICK PREMIUM INLINE FILTERS

CODE	DESCRIPTION	PRICE
6-25-PR-5633-P-Q	PP Filter	
6-25-PR-5633-C-Q	UDF Carbon Filter	

2,5" PUSH FITTINGS INLINE FILTERS

2,5" PUSH FITTINGS INLINE FILTERS 2,5" PUSH FITTINGS INLINE FILTERS


2,5" PUSH FITTINGS INLINE FILTERS (HF)

CODE	DESCRIPTION	PRICE
6-25-HF01-5	PP Filter 5 Mic.	
6-25-HF02	UDF Carbon Filter	
6-25-HF03	CTO Carbon Filter	
6-25-HF02-C	UDF Carbon Filter (Coconut)	
6-25-HF05	Post Carbon Filter	



QUICK FITTINGS REMOVAL TOOL

CODE	DESCRIPTION	PRICE
6-25-HF-FSA	Quick Fittings Removal Tool	



2" INLINE FILTERS

2" INLINE FILTERS



POST CARBON FILTERS - THREADED

CODE	DESCRIPTION	PRICE
6-20-HSC-01	2" Premium Post Carbon	
6-20-HSC-09	2" Mineral Post Carbon	



ALKALINE FILTERS - JACO

CODE	DESCRIPTION	PRICE
6-20-HSC-03	2" Alkaline Filter	
6-20-HSC-07	2" Alkaline Extra Filter	
6-20-HSC-12	2" AQUATURK Alkaline Plus Filter	



2" JACO MEMBRANE PROTECTIVE FILTERS

CODE	DESCRIPTION	PRICE
6-20-AT-5607	Membrane Protective Filter (%100 Siliphos)	
6-20-AT-5606	Twin Soft Filter (%75 PP Filter + %25 Siliphos)	
6-20-AT-5608	Twin Soft Filter (%50 PP Filter + %50 Siliphos)	



2" INLINE FILTERS - JACO

CODE	DESCRIPTION	PRICE
6-20-2586P	2" PP Filter	
6-20-2586C	2" Carbon Filter	
6-20-2586C-1	2" Carbon Filter (Coconut)	
6-20-2586 UF	2" UF Filter (Antibacterial 0,02 mic.)	

2" INLINE FILTERS

2" INLINE FILTERS 2" INLINE FILTERS

STONE TYPE MINERAL FILTERS - THREADED

CODE	DESCRIPTION	PRICE
6-20-HSC-02	2" Mineral Filter	
6-20-HSC-08	2" 4 Type Mineral Filter	
6-20-HSC-11	2" 6 Type Mineral Filter	



BALL TYPE MINERAL FILTERS - THREADED

CODE	DESCRIPTION	PRICE
6-20-HSC-08-1	2" 4 Type Mineral Filter	
6-20-HSC-11-1	2" 6 Type Mineral Filter	



BIOSERAMIC FILTERS - JACO

CODE	DESCRIPTION	PRICE
6-20-BIO Y	2" BioSeramic Filter	



2,5" SINGLE-USE FILTERS

2,5" SINGLE-USE FILTERS

2,5" FT FILTERS

CODE	DESCRIPTION	PRICE
6-25-HSC-FT84	PP Filter 1 Mic.	
6-25-HSC-FT82	PP Filter 5 Mic.	
6-25-HSC-FT92	CTO Carbon Filter	
6-25-HSC-FT83	UDF Carbon Filter	
6-25-HSC-FT83-1	UDF Carbon Filter (Coconut)	
6-25-HSC-FT86	Post Carbon Filter	

2,5" PREMIUM FT FILTERS

CODE	DESCRIPTION	PRICE
6-25-FT84	PP Filter 1 Mic.	
6-25-FT82	PP Filter 5 Mic.	
6-25-FT92	CTO Carbon Filter	
6-25-FT83	UDF Carbon Filter	
6-25-FT86	Post Carbon Filter	
6-25-FTKAFA	FT Filter Head	

2,5" ST FILTERS

CODE	DESCRIPTION	PRICE
6-25-ST05	PP Filter 5 Mic.	
6-25-ST-CTO	CTO Carbon Filter	
6-25-ST33	UDF Carbon Filter	
6-25-ST33-1	UDF Carbon Filter (Coconut)	

PALLUSA INLINE FILTERS

OMNIPURE INLINE FILTER
OMNIPURE INLINE FILTE

FILTERS

PALLUSA INLINE

BB SERIES - JACO

CODE		DESCRIPTION	PRICE
6-OM-BB-K2505	2"	Filter	
6-OM-BB-K2528	2"	Pre Carbon	
6-OM-BB-K2533	2"	Post Carbon	
6-OM-BB-K5605	2 1/2"	Filter	
6-OM-BB-K5628	2 1/2"	Pre Carbon	
6-OM-BB-K5633	2 1/2"	Post Carbon	



JJ SERIES - QUICK

CODE		DESCRIPTION	PRICE
6-OM-JJ-K2505	2"	Filter	
6-OM-JJ-K2528	2"	Pre Carbon	
6-OM-JJ-K2533	2"	Post Carbon	
6-OM-JJ-K5605	2 1/2"	Filter	
6-OM-JJ-K5628	2 1/2"	Pre Carbon	
6-OM-JJ-K5633	2 1/2"	Post Carbon	



SS SERIES - QUICK WITH ELBOW

CODE		DESCRIPTION	PRICE
6-OM-SS-K2505	2"	Filter	
6-OM-SS-K2528	2"	Pre Carbon	
6-OM-SS-K2533	2"	Post Carbon	
6-OM-SS-K5605	2 1/2"	Filter	
6-OM-SS-K5628	2 1/2"	Pre Carbon	
6-OM-SS-K5633	2 1/2"	Post Carbon	



POST CARBON FILTER

CODE		DESCRIPTION	PRICE
6-OM-CL10RO-T33	2"	Post Carbon	



HOUSING FILTERS

HOUSING FILTERS



STANDARD PP FILTERS

CODE	DESCRIPTION	PRICE
6-2-05-05	5" PP Filter 5 mic	
6-2-10-01	10" PP Filter 1 mic	
6-2-10-05	10" PP Filter 5 mic	
6-2-10-10	10" PP Filter 10 mic	
6-2-10-20	10" PP Filter 20 mic	
6-2-20-01	20" PP Filter 1 mic	
6-2-20-05	20" PP Filter 5 mic	
6-2-20-10	20" PP Filter 10 mic	
6-2-20-20	20" PP Filter 20 mic	



PP FILTERS WITH UPPER & LOWER CAPS

CODE	DESCRIPTION	PRICE
6-2-10-05-EK110	10" PP 110 gr	
6-2-10-05-EK135	10" PP 135 gr	
6-2-10-05-EK170	10" PP 170 gr	



BIGBLUE PP FILTERS

CODE	DESCRIPTION	PRICE
6-2-10-BB-05	10" BigBlue PP 5 Mic.	
6-2-10-BB-10	10" BigBlue PP 10 Mic.	
6-2-20-BB-05	20" BigBlue PP 5 Mic.	
6-2-20-BB-10	20" BigBlue PP 10 Mic.	



10" SHELL CUP FILTERS

CODE	DESCRIPTION	PRICE
6-5-10-0	10" Shell Cup (Empty)	
6-5-10-1	10" Shell Cup (Carbon)	
6-5-10-4	10" Shell Cup (Coconut)	
6-5-10-3	10" Shell Cup (Siliphos)	

HOUSING FILTERS

HOUSING FILTERS HOUSING FILTERS

STANDARD CTO FILTERS

CODE	DESCRIPTION	PRICE
6-3-CTO05	5" CTO Filter (Coal Based)	
6-3-CTO10-1	10" CTO Filter (Coal Based)	
6-3-CTO10	10" CTO Filter (Coal Based)	
6-3-CTO10-2	10" CTO Filter (Coconut Based)	
6-3-CTO20	20" CTO Filter (Coal Based)	
6-3-CTO20-2	20" CTO Filter (Coconut Based)	



BIGBLUE CTO FILTERS

CODE	DESCRIPTION	PRICE
6-3-CTO10-BB	10" BB CTO Filter (Coal Based)	
6-3-CTO20-BB	20" BB CTO Filter (Coal Based)	



UDF FILTERS

CODE	DESCRIPTION	PRICE
6-3-UDF10	10" UDF Filter (Coal Based)	
6-3-UDF10-2	10" UDF Filter (Coconut Based)	
6-3-UDF20	20" UDF Filter (Coal Based)	
6-3-UDF20-C	20" UDF Filter (Coconut Based)	



BIGBLUE UDF FILTERS

CODE	DESCRIPTION	PRICE
6-3-UDF10-BB	10" UDF BigBlue Filter (Coal Based)	
6-3-UDF20-BB	20" UDF BigBlue Filter (Coal Based)	



WASHABLE FILTERS

CODE	DESCRIPTION	PRICE
6-4-YF10	10" Washable Plastic Filter	
6-4-YF20	20" Washable Plastic Filter	



RO MEMBRANES

RO MEMBRANES

STAR MEMBRANES

CODE	DESCRIPTION	PRICE
3-1-ST75	75 GPD Membrane (1812)	
3-1-ST100	100 GPD Membrane (2012)	
3-1-ST300	300 GPD Membrane (3012)	



VONTRON MEMBRANES

NSF

CODE	DESCRIPTION	PRICE
3-1-EV75	75 GPD Membrane (1812)	
3-1-EV100	100 GPD Membrane (2012)	
3-1-EV150	150 GPD Membrane (2012)	
3-1-EV300	300 GPD Membrane (3012)	
3-1-EV400	400 GPD Membrane (3012)	
3-1-EV500	500 GPD Membrane (3012)	
3-1-EV600	600 GPD Membrane (3012)	



EV MEMBRANE

CODE	DESCRIPTION	PRICE
3-1-EE75	75 GPD Membrane (1812)	



CSM MEMBRANES

NSF

CODE	DESCRIPTION	PRICE
3-1-EC-080	80 GPD Membrane (1812)	
3-1-EC-200	200 GPD Membrane (2012)	
3-1-EC-400	400 GPD Membrane (2012)	



FILMTEC MEMBRANE

NSF

CODE	DESCRIPTION	PRICE
3-1-EF75	75 GPD Membrane (1812)	

RO MEMBRANES

RO MEMBRANES RO MEMBRANES



RO Membrane
*(Capsule Membrane)

6-25-HF04

* The price includes 80 GPD Membrane.

RO MEMBRANE HOUSING

Quick - Push Fittings

CODE	DESCRIPTION	PRICE
3-2-EV-1812-Q-C	18x12 Membrane Housing	

Quick - Push Fittings

CODE	DESCRIPTION	PRICE
3-2-EV-1812-Q-Y	18x12 Membrane Housing	

Jaco

CODE	DESCRIPTION	PRICE
3-2-EV-1812-CN	18x12 Membrane Housing	

Jaco

CODE	DESCRIPTION	PRICE
3-2-EV-1812	18x12 Membrane Housing	

Quick

CODE	DESCRIPTION	PRICE
3-2-EV-1812-Q	18x12 Membrane Housing	

Jaco

CODE	DESCRIPTION	PRICE
3-2-EV-3012	30x12 Membrane Housing	



FILTER HOUSINGS

FILTER HOUSINGS



CODE	DESCRIPTION	PRICE
5-FK-51-12-Y	10" Filter Housing 1/4" - Mat	
5-FK-51-13-Y-N	10" Filter Housing 1/4" - Naturel	



CODE	DESCRIPTION	PRICE
5-FK-51-12	10" Filter Housing 1/4" - Mat	
5-FK-51-13	10" Filter Housing 1/4" - Transparent	


NSF



CODE	DESCRIPTION	PRICE
5-FK-51-12-CN	10" Filter Housing 1/4" - Mat	
5-FK-51-13-CN	10" Filter Housing 1/4" - Transparent	



CODE	DESCRIPTION	PRICE
5-90-008	Filter Housing Wrench	



FILTER HOUSINGS

FILTER HOUSINGS FILTER HOUSINGS

FILTER HOUSINGS

CODE	DESCRIPTION	PRICE
5-5-61-30	10" - Filter Housing 1/2"	
5-5-61-40	10" - Filter Housing 3/4"	
5-5-61-50	10" - Filter Housing 1"	
5-5-61-43	10" - Dublex Filter Housing 3/4"	
5-5-61-53	10" - Dublex Filter Housing 1"	



20" FILTER HOUSINGS

NSF

CODE	DESCRIPTION	PRICE
5-5-52-22	20" - Filter Housing - TRO 3/8" - Mat	
5-5-52-23	20" - Filter Housing - TRO 3/8" - Transparent	



BIGBLUE FILTER HOUSINGS

NSF

CODE	DESCRIPTION	PRICE
5-5-51-56	10" B.B. Filter Housing - Mat - 1"	
5-5-52-56	20" B.B. Filter Housing - Mat - 1"	



ANTICHALK

CODE	DESCRIPTION	PRICE
6-9-001-1	Antichalk (Empty)	
6-9-001	Antichalk	
8-MIN-G412	Siliphos	





R.O. Spare Parts &
Accessories

RO PUMP & SPARE PARTS

RO PUMP & SPARE PARTS

RO PUMP & SPARE PARTS



R.O. PUMPS

CODE	DESCRIPTION	PRICE
3-RY-P-75-M800	75 GPD Midi Pump	
3-RY-P-75	75 GPD Pump	
3-RY-P-75-1-Q	75 GPD Pump - Quick	



R.O. PUMPS - LF SERIES

CODE	DESCRIPTION	PRICE
3-RY-P-50LF	75 GPD Mini Pump	
3-RY-P-75LF-Midi	75 GPD Midi Pump	
3-RY-P-75LF	75 GPD Pump	
3-RY-P-75LF-Q	75 GPD Pump - Quick	



DIRECT FLOW PUMPS

CODE	DESCRIPTION	PRICE
3-RY-P-200	200 GPD Pump	
3-RY-P-300	300 GPD Pump	
3-RY-P-400	400 GPD Pump	
3-RY-P-500	500 GPD Pump*	



R.O. PUMP HEADS

CODE	DESCRIPTION	PRICE
3-RY-P-KA75	Pump Head 75 Gpd	
3-RY-P-KA75 LF	Pump Head 75 Gpd - LF Series (Mini)	
3-RY-P-KA75 LFP	Pump Head 75 Gpd - LF Series (Midi)	
3-RY-P-KA75 LFP-J	Pump Head 75 Gpd - LF Series	
3-RY-P-KA3	Pump Head 300 Gpd	
3-RY-P-KA4	Pump Head 400 Gpd	
3-RY-P-KA5	Pump Head 500 Gpd	

RO PUMP SPARE PARTS

RO PUMP SPARE PARTS

RO PUMP SPARE PARTS

RO PUMP SPARE PARTS

R.O. PUMP ADAPTORS

CODE	DESCRIPTION	PRICE
3-RY-PA-E24V-A	Electronic 24V 1,5 A	



CODE	DESCRIPTION	PRICE
3-RY-PA-E24V-K	Electronic 24V 1,5 A	



NSF

CODE	DESCRIPTION	PRICE
3-RY-PA-H 30	300 GPD 30V Headon	




CODE	DESCRIPTION	PRICE
3-RY-PA-24V3A	300 GPD 24V 3A	
3-RY-PA-24V5A-1	400 GPD - 24V 5A	
3-RY-PA-36V5A	500 GPD 24V 5A	



R.O. PUMP DIAPHRAGMS

CODE	DESCRIPTION	PRICE
3-RY-P-YED-002	Pump Diaphragm	
3-RY-P-KA75 D-1	Pump Diaphragm - Headon	
3-RY-P-KAD3-4	Pump Diaphragm 300-400 GPD	
3-RY-P-KAD5	Pump Diaphragm 500 GPD	



RO FAUCETS
RO FAUCETS RO FAUCETS



RO FAUCETS

RO FAUCETS RO FAUCETS



SS Lux

3-RY-MUS-SS304

Stainless Steel



Special Serie

3-RY-MUS-DAB



3 Way

3-RY-MUS-LM-1



3 Way Lux

3-RY-MUS-LM



3 Way

3-RY-MUS-3304

Swan Type



3 Way

3-RY-MUS-3301

Modern Type



Special Serie

NSF 3-RY-MUS-020-07

RO FAUCET SPARE PARTS & ACCESSORIES

RO FAUCET SPARE PARTS & ACCESSORIES



Faucet Oring

3-RY-MUS-YED-SC



Faucet Connector

3-RY-MUS-YED-001



Faucet Extension

Kit 8 cm

3-RY-MUS-YED-UZ8



Water Saving Device

3-RY-MUS-TAS-Y

Save 70% Water



SS Faucet Head

3-RY-MUS-MS01



Faucet Adaptor

3-RY-MUS-MS02



Pressure Gauge

3-71-003



Pressure Gauge

3-71-002-2

300-400-500 Gpd

RO FAUCET SPARE PARTS & ACCESSORIES

RO FAUCET SPARE PARTS & ACCESSORIES
RO FAUCET SPARE PARTS & ACCESSORIES

RO FAUCET SPARE PARTS & ACCESSORIES



Shower Head

6-08-001-1

RO METAL TANKS & SPARE PARTS

RO METAL TANKS & SPARE PARTS

NSF



CODE	DESCRIPTION	PRICE
3-RY-TPAE-2	Metal Tank 2 Galon	
3-RY-TPAE-2,2	Metal Tank 2,2 Galon	
3-RY-TPAE-3,2	Metal Tank 3,2 Galon	
3-RY-TPAE-5,2	Metal Tank 5,2 Galon	



NSF

CODE	DESCRIPTION	PRICE
3-RY-TPAE-10,7	Metal Tank 10,7 Galon-1/4"	
3-RY-TPAE-10,7-1	Metal Tank 10,7 Galon - 1"	



NSF

CODE	DESCRIPTION	PRICE
3-RY-TPAE-20	Metal Tank 20 Galon	
3-RY-TPAE-28	Metal Tank 28 Galon	
3-RY-TPAE-40	Metal Tank 40 Galon	



CODE	DESCRIPTION	PRICE
3-RY-TV-02	JACO Tank Valve 4/6	
3-RY-TV-03	JACO Tank Valve 8/10	



CODE	DESCRIPTION	PRICE
3-RY-TANK-B10	Tank Base (For 10,7 Galon Tank)	
3-RY-TPAE-YED-20-1	Connection Kit (For 20 Galon Tank)	

RO TANKS

RO TANKS RO TANKS

CODE	DESCRIPTION	PRICE
3-RY-HFT-2.2	Metal Tank 2,2 Galon	
3-RY-HFT-3.2	Metal Tank 3,2 Galon	



CODE	DESCRIPTION	PRICE
3-RY-TPLS-3.2	Plastic Tank 8 Liter (3.2 G.)	
3-RY-TPLS-4.0	Plastic Tank 12 Liter (4 G.)	



WT-5 Square Type Plastic Tank

3-RY-TPLS-WT-5


TECHNICAL SPECIFICATIONS

Empty Capacity	6,7 lt
Empty Weight	2160 gr
Max. Pressure	4 bar
Water Capacity at Max. Pres.	4,7 lt
Product Dimension	12 x 37 x 36,5 cm
Carton Dimension	13 x 38 x 37,5 cm




BRACKETS

BRACKETS BRACKETS



Standard
Without Pump
3-RY-BRA-MET-01



With Pressure Gauge
Without Pump
3-RY-BRA-MET-01 M



Standard
With Pump
3-RY-BRA-MET-02



With Pressure Gauge
With Pump
3-RY-BRA-MET-02 M



Standard
3-RY-BRA-MET-05

Standing Type



With Pressure Gauge
3-RY-BRA-MET-05 M

Standing Type



HF 12300
3-RY-BRA-MET-12300 M

With Pressure Gauge



HF 300 - 400 - 500
3-RY-BRA-MET-300 M

With Pressure Gauge



Metal Bracket - Single
5-90-012



Metal Bracket
5-90-014

For Bigblue Filter

RO VALVES

RO VALVES RO VALVES

CODE	DESCRIPTION	PRICE
3-RY-MV-02-J	Ball Valve 1/4"	
3-RY-MV-03-J	Ball Valve 3/8"	

CODE	DESCRIPTION	PRICE
3-RY-QPV-0202-1	Quick Plastic Valve 4/6 - 4/6"	
3-RY-QPV-0202	Quick Plastic Valve 4/6 - 4/6"	
3-RY-QPV-0303-1	Quick Plastic Valve 8/10 - 8/10"	
3-RY-QPV-0303	Quick Plastic Valve 8/10 - 8/10"	

CODE	DESCRIPTION	PRICE
3-RY-QPV0202-1	Adjustable Valve 4/6 4/6	



RO CONNECTORS

CODE	DESCRIPTION	PRICE
3-RY-HAP-38	Metal Connector 3/8" - 1/4" - 3/8"	
3-RY-HAP-12	Metal Connector 1/2" - 1/4" - 1/2"	
3-RY-HAP-34	Metal Connector 3/4" - 1/4" - 3/4"	
3-RY-HAP-34-1	Metal Extension Kit 3/4" - 3/4"	

CODE	DESCRIPTION	PRICE
3-RY-HAV-12 PQ	Plastic Connector 1/2"-4/6"-1/2"	

CODE	DESCRIPTION	PRICE
3-RY-HAV-P-12	Plastic Connector With Valve 1/2"-4/6"-1/2"	
3-RY-HAV-P-12-8/10	Plastic Connector With Valve 1/2"-8/10"-1/2"	
3-RY-HAV-M-38	Plastic Connector With Valve 3/8"-1/4"-3/8"(Metal Rkr.)	
3-RY-HAV-M-12	Plastic Connector With Valve 1/2"-1/4"-1/2"(Metal Rkr.)	



FLOWLIMIT

FLOWLIMIT
FLOWLIMIT



CODE	DESCRIPTION	PRICE
3-RY-F-J300-2	Jaco Flow Limit 300 cc	
3-RY-F-J300-1	Jaco Flow Limit 300 cc	
3-RY-F-J300	Jaco Flow Limit 300 cc	
3-RY-F-J420	Jaco Flow Limit 420 cc	
3-RY-F-J550	Jaco Flow Limit 550 cc	
3-RY-F-J800	Jaco Flow Limit 800 cc	
3-RY-F-J1200	Jaco Flow Limit 1200 cc	
3-RY-F-J1600	Jaco Flow Limit 1600 cc	
3-RY-F-J2000	Jaco Flow Limit 2000 cc	
3-RY-F-Q300-1	Quick Flow Limit 300 cc	
3-RY-F-Q300-2	Quick Flow Limit 300 cc	
NSF 3-RY-F-Q300	Quick Flow Limit 300 cc	
NSF 3-RY-F-Q420	Quick Flow Limit 420 cc	
3-RY-F-Q450	Quick Flow Limit 450 cc	
3-RY-F-Q450-2	Quick Flow Limit 450 cc	
NSF 3-RY-F-Q550	Quick Flow Limit 550 cc	
NSF 3-RY-F-Q800	Quick Flow Limit 800 cc	
NSF 3-RY-F-Q1200	Quick Flow Limit 1200 cc	
3-RY-F-Q1500-2	Quick Flow Limit 1500 cc	
NSF 3-RY-F-Q2000	Quick Flow Limit 2000 cc	
3-RY-F-Hi-300	Tube Inserted Flow Limit 300 cc	
3-RY-F-Hi-420	Tube Inserted Flow Limit 420 cc	
3-RY-F-Hi-550	Tube Inserted Flow Limit 550 cc	



CODE	DESCRIPTION	PRICE
3-RY-SYA-1	LPS, HPS, Shutoff Valve	

SHUTOFF VALVE & PRESSURE SWITCH

SHUTOFF VALVE & PRESSURE SWITCH

SHUTOFF VALVE & PRESSURE SWITCH

CODE	DESCRIPTION	PRICE
3-RY-SOV-Q02-1	Quick Shutoff Valve 1/4"	
3-RY-SOV-Q02-2	Quick Shutoff Valve 1/4"	
3-RY-SOV-Q02	Quick Shutoff Valve 1/4"	
3-RY-SOV-Q03	Quick Shutoff Valve 8/10"	
3-RY-SOV-J02	Jaco Shutoff Valve 1/4"	
3-RY-SOV-J03	Jaco Shutoff Valve 8/10"	

NSF

NSF

CODE	DESCRIPTION	PRICE
3-RY-DBS-Q-1	Quick Low Pressure Switch	
3-RY-YBS-Q-1	Quick High Pressure Switch	
3-RY-DBS-J	Jaco Low Pressure Switch	
3-RY-YBS-J	Jaco High Pressure Switch	
3-RY-DBS-Q	Quick Low Pressure Switch	
3-RY-YBS-Q	Quick High Pressure Switch	

NSF

NSF

NSF

NSF

SWITCH CABLE

CODE	DESCRIPTION	PRICE
3-RY-SK-01	Switch Cable (Type A)	
3-RY-SK-02	Switch Cable (Type B)	
3-RY-SK-03	Switch Cable (Type C)	



Type A



Type B



Type C

PRESSURE LIMITERS

PRESSURE LIMITERS



CODE	DESCRIPTION	PRICE
3-RY-BD-PLS-14	4/6" Adjustable Pressure Limiter	
3-RY-BD-PLS-14-2	4/6" Adjustable Pressure Limiter	
3-RY-BD-PLS-38	8/10" Adjustable Pressure Limiter	



CODE	DESCRIPTION	PRICE
3-RY-BD-PLS-6514	4/6" Pressure Limiter	
3-RY-BD-PLS-6538	8/10" Pressure Limiter	



CODE	DESCRIPTION	PRICE
3-RY-BD-PLS-6014	4/6" Pressure Limiter 60 psi	
3-RY-BD-PLS-7014	4/6" Pressure Limiter 70 psi	
3-RY-BD-PLS-6038	8/10" Pressure Limiter 60 psi	
3-RY-BD-PLS-7038	8/10" Pressure Limiter 70 psi	



CODE	DESCRIPTION	PRICE
3-RY-BD-PLS-14K	4/6" Pressure Limiter	



CODE	DESCRIPTION	PRICE
3-RY-BD-MET 1/4"	4/6" Metal Pressure Limiter	
3-RY-BD-MET 1/4"Q	4/6" Metal Pressure Limiter - Quick	
3-RY-BD-MET 1/2"	4/6" Metal Pressure Limiter	

RO TUBE & SCISSORS

RO TUBE & SCISSORS RO TUBE & SCISSORS

CODE	DESCRIPTION	PRICE
3-RY-HOR-02-Y	RO Tube 4/6 - meter	
3-RY-HOR-02-Y	RO Tube 4/6 - 300mt./roll	
3-RY-HOR-02-B	RO Tube 4/6 - meter	
3-RY-HOR-02-B	RO Tube 4/6 - 300mt./roll	
3-RY-HOR-03-Y	RO Tube 8/10 - meter	
3-RY-HOR-03-Y	RO Tube 8/10 - 150mt./roll	
3-RY-HOR-03-B	RO Tube 8/10 - meter	
3-RY-HOR-03-B	RO Tube 8/10 - 150mt./roll	

CODE	DESCRIPTION	PRICE
3-RY-HOR-HKM	Tube Scissors	



RO WATER LEAKAGE DETECTORS

CODE	DESCRIPTION	PRICE
3-RY-SKA-4	Water Leakage Detector	

CODE	DESCRIPTION	PRICE
3-RY-SKA-3	Water Leakage Detector	

CODE	DESCRIPTION	PRICE
3-RY-SKA-2	Water Leakage Detector	

CODE	DESCRIPTION	PRICE
3-RY-EV-12	Water Leakage Valve - 1/2"	
3-RY-EV-34	Water Leakage Valve - 3/4"	
3-RY-EV-34-1	Water Leakage Valve - 3/4" - Battery-Operated	
3-RY-EV-14	Water Leakage Valve - 1/4"	
3-RY-EV-32	Water Leakage Valve - 1"	



MEASURING DEVICES & SERVICES KIT

MEASURING DEVICES & SERVICES KIT



TDS Pen

3-RY-TEST-TDS



TDS Pen

3-RY-TEST-TDS WP



TDS Pen

3-RY-TEST-TDS-DPK



Services Kit

3-RY-TEST-SK



Electrolyse

3-RY-TEST-E01



C.C.K Electrolyse

3-RY-TEST-E02



PH Meter

3-RY-TEST-PH



RO Control Panel

3-4-KP-TRO

HF 300-400-500

UV DISINFECTION SYSTEMS

UV DISINFECTION SYSTEMS UV DISINFECTION SYSTEMS



Hydrolight 0,2 UV

4-0-UV-Sis-0,2-6

(6W)

SOLENOID VALVES

CODE	DESCRIPTION	PRICE
3-RY-SV-14P-24VDC-Ç	4/6" 24 VDCF01 Plastic	
3-RY-SV-38P-24VDC-Ç	8/10" 24 VDCF02 Plastic	
3-71-15-220P	8/10" 220V - Metal	



QUICK ELBOWS

QUICK ELBOWS



CODE	DESCRIPTION	PRICE
3-RF-Q4044-1	Quick 1/4" 4/6 Thread Elbow	
3-RF-Q4042-1	Quick 1/8" 4/6 Thread Elbow	
NSF 3-RF-Q4042	Quick 1/8" 4/6 Thread Elbow	
3-RF-Q4046-1	Quick 3/8" 4/6 Thread Elbow	
NSF 3-RF-Q4046	Quick 3/8" 4/6 Thread Elbow	
3-RF-Q4064-1	Quick 1/4" 8/10 Thread Elbow	
3-RF-Q4068-1	Quick 1/2" 8/10 Thread Elbow	
3-RF-Q4066-1	Quick 3/8" 8/10 Thread Elbow	
NSF 3-RF-Q4066	Quick 3/8" 8/10 Thread Elbow	
NSF 3-RF-Q4086	Quick 3/8" 10/12 Thread Elbow	



CODE	DESCRIPTION	PRICE
3-RF-Q5044-1	Quick 4/6 4/6 Elbow	
NSF 3-RF-Q5044	Quick 4/6 4/6 Elbow	
3-RF-Q5066-1	Quick 8/10 8/10 Elbow	
NSF 3-RF-Q5066	Quick 8/10 8/10 Elbow	
3-RF-Q5064-1	Quick 4/6 8/10 Elbow	
NSF 3-RF-Q5064	Quick 4/6 8/10 Elbow	



CODE	DESCRIPTION	PRICE
3-RF-QSE4044-1	Quick Push Fittings Elbow 4/6	
NSF 3-RF-QSE4044	Quick Push Fittings Elbow 4/6	
3-RF-QSE4064-1	Quick Push Fittings Elbow 8/10 4/6	
3-RF-QSE4066-1	Quick Push Fittings Elbow 8/10 8/10	



CODE	DESCRIPTION	PRICE
3-RF-Q4544-1	Quick Inner Thread Elbow 1/4" 4/6	

CODE	DESCRIPTION	PRICE
3-RF-Q7044-1	Quick T 4/6 4/6 4/6	
3-RF-Q7046-1	Quick T 4/6 8/10 4/6	
3-RF-Q7046	Quick T 4/6 8/10 4/6	
3-RF-Q7064-1	Quick T 8/10 4/6 8/10	
3-RF-Q7064	Quick T 8/10 4/6 8/10	
3-RF-Q7066-1	Quick T 8/10 8/10 8/10	

NSF

NSF



CODE	DESCRIPTION	PRICE
3-RF-Q7544-1	Quick T 1/4" 4/6 4/6	
3-RF-Q7544	Quick T 1/4" 4/6 4/6	
3-RF-Q6046-1	Quick T 4/6" 8/10 8/10	

NSF



CODE	DESCRIPTION	PRICE
3-RF-Q6044-1	Quick T Thread 4/6 1/4 4/6	
3-RF-Q6066-1	Quick T Thread 8/10 3/8 8/10	



CODE	DESCRIPTION	PRICE
3-RF-QSBT6044-1	Quick T 4/6 Push Fittings 4/6	



CODE	DESCRIPTION	PRICE
3-RF-QSRT7544-1	Push Fittings Quick T 4/6 4/6 4/6	



CODE	DESCRIPTION	PRICE
3-RF-QYE0404-1	Quick Y 4/6 4/6 4/6	
3-RF-QYE0404	Quick Y 4/6 4/6 4/6	
3-RF-QYE0606-1	Quick Y 8/10 8/10 8/10	

NSF



QUICK RAKORS & CHECK VALVES

QUICK RAKORS & CHECK VALVES

CODE	DESCRIPTION	PRICE
3-RF-Q1044-1	Quick Rakor 1/4" 4/6	
3-RF-Q1064-1	Quick Rakor 1/4" 8/10	
NSF 3-RF-Q1042	Quick Rakor 1/8" 4/6	
3-RF-Q1066-1	Quick Rakor 3/8" 8/10	
3-RF-Q1046-1	Quick Rakor 3/8" 4/6	
3-RF-Q1068-1	Quick Rakor 1/2" 8/10	



CODE	DESCRIPTION	PRICE
3-RF-Q2544-2	Quick Rakor 4/6 IT (For Faucet)	
NSF 3-RF-Q256-716	Quick Rakor 4/6 IT (For Faucet)	
NSF 3-RF-Q256-716-8/10	Quick Rakor 716" IT 8/10 (For Faucet)	
NSF 3-RF-Q2568	Quick Rakor 1/2" IT 8/10	



CODE	DESCRIPTION	PRICE
3-RY-CV-D0202-1	Quick Check Valve Elbow 4/6 4/6	
3-RY-CV-D4044-1	Quick Check Valve Elbow 1/4" 4/6	
3-RY-CV-D4042-1	Quick Check Valve Elbow 1/8" 4/6	
NSF 3-RY-CV-D4042	Quick Check Valve Elbow 1/8" 4/6	



CODE	DESCRIPTION	PRICE
3-RY-CV-M0202-1	Check Valve 4/6 4/6	
NSF 3-RY-CV-M0202	Check Valve 4/6 4/6	
3-RY-CV-M0303-1	Check Valve 8/10 8/10	
NSF 3-RY-CV-M0303	Check Valve 8/10 8/10	



QUICK CONNECTOR

QUICK CONNECTOR QUICK CONNECTOR

CODE	DESCRIPTION	PRICE
3-RF-Q2044-1	Quick Connector 4/6 4/6	
3-RF-Q2044	Quick Connector 4/6 4/6	

NSF



CODE	DESCRIPTION	PRICE
3-RF-Q1544-1	Quick Connector 4/6 4/6	
3-RF-Q1564-1	Quick Connector 4/6 8/10	
3-RF-Q1566	Quick Connector 8/10 8/10	

NSF



CODE	DESCRIPTION	PRICE
3-RF-QCL04	Quick Clips 4/6	
3-RF-QCL06	Quick Clips 8/10	

NSF

NSF



JACO FITTINGS

JACO FITTINGS

JACO FITTINGS

JACO ELBOWS

CODE	DESCRIPTION	PRICE
3-RF-J4042	Jaco 1/8" 4/6 Thread Elbow	
3-RF-J4044	Jaco 1/4" 4/6 Thread Elbow	
3-RF-J5044	Jaco Elbow 4/6" 4/6	
3-RF-J4046	Jaco 3/8" 4/6 Thread Elbow	
3-RF-J4064	Jaco Elbow 1/4" 8/10	
3-RF-J4066	Jaco Elbow 3/8" 8/10	
3-RF-J4084	Jaco Elbow 1/2" 4/6	
3-RF-J5066	Jaco Elbow 8/10" 8/10	

CODE	DESCRIPTION	PRICE
3-RF-JCD-1/8	Jaco Check Valve Elbow 1/8" 4/6	

CODE	DESCRIPTION	PRICE
3-RF-J4544	Jaco 1/4" 4/6 Inner Thread Elbow	

JACO T

CODE	DESCRIPTION	PRICE
3-RF-J7544	Jaco T 1/4" 4/6 4/6	
3-RF-J6044	Jaco T 4/6 1/4" 4/6	
3-RF-J7044	Jaco T 4/6 4/6 4/6	
3-RF-J7564	Jaco T 1/4 8/10 8/10	
3-RF-J6064	Jaco T 8/10 1/4 8/10	
3-RF-J7066	Jaco T 8/10 8/10 8/10	
3-RF-J6066	Jaco T 8/10 3/8 8/10	
3-RF-J7644	Jaco T 1/4 4/6 8/10	

JACO RAKORS

CODE	DESCRIPTION	PRICE
3-RF-J1044	Jaco Rakor 1/4" 4/6	
3-RF-J2544	Jaco Rakor 1/4" IT 4/6	
3-RF-J1064	Jaco Rakor 1/4" 8/10	
3-RF-J1046	Jaco Rakor 3/8" 4/6	
3-RF-J1066	Jaco Rakor 3/8" 8/10	
3-RF-J1068	Jaco Rakor 1/2" 8/10	

JACO CONNECTOR

CODE	DESCRIPTION	PRICE
3-RF-J1544	Jaco Connector 4/6 4/6	

JACO NIPPLES

CODE	DESCRIPTION	PRICE
3-RF-NIP-04	Nipple 1/4"	
3-RF-NIP-06	Nipple 3/8"	
3-RF-NIP-08	Nipple 1/2"	
3-RF-NIP-12	Nipple 3/4"	
3-RF-NIP-32	Nipple 1"	

JACO CONNECTORS

CODE	DESCRIPTION	PRICE
3-RF-J2044-1	Jaco 4/6 4/6 Elbow Connector	

CODE	DESCRIPTION	PRICE
3-RF-J2044	Jaco Connector 4/6 4/6	
3-RF-J2066	Jaco Connector 8/10 8/10	

CLAMPS - DOUBLE

CODE	DESCRIPTION	PRICE
3-RY-KEL-2x2	2" - 2" Clamp	
3-RY-KEL-2,5x2-1	2 1/2" - 2" Clamp	
3-RY-KEL-2,5x2	2 1/2" - 2" Clamp (Premium)	
3-RY-KEL-2,5x2,5-1	2 1/2" - 2 1/2" Clamp	
3-RY-KEL-2,5x2,5	2 1/2" - 2 1/2" Clamp (Premium)	

CLAMPS - SINGLE

CODE	DESCRIPTION	PRICE
3-RY-KEL-2	2" Clamp	
3-RY-KEL-2,5	2 1/2" Clamp	
3-RY-KEL-30x12	30x12 MDK Clamp	

TEFLON TAPE

CODE	DESCRIPTION	PRICE
9-9-204	Teflon Tape	





HEADQUARTER / USA

5285, US-5, Windsor VT 05089,, IL 60133 U.S.A

e-mail : inquiries@pallusa.net

Telephone : 1.800.950.009872
